NUMERICAL INDEX — DIVISION 362

TYPE N, O, AND ON CARRIER TELEPHONE SYSTEMS

AND ASSOCIATED EQUIPMENT COMPONENTS

1. GENERAL

1.01 This section provides an index of System-issued sections in Division 362.

1.02 This section reverted to Issue 1 in November 1973. Prior to that date there had been 99 issues of the section.

1.03 A bullet (•) indicates an item that has been added or changed since the previous issue of the index.

1.04 A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.

1.05 A solid triangle (▲) indicates a Task Oriented Practice (TOP). These practices, because of their limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.

1.06 A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy BSPs. In some cases, the microfiche BSP will reflect the next higher issue as a result of the reduced distribution interval.

1.07 "Add" is the abbreviation for Addendum.

2. LAYERS

2.01 This division is arranged in layers as follows:

362-0 Index, Equipment Test List, and N1 System Terminal Equipment
-1 Type O and ON Carrier Telephone Systems — Terminals and Junctions
-2 Type O Carrier Telephone System — Repeaters
-3 Type N1, O, and ON Carrier Telephone Systems — Overall Channel Lineup
-4 N and ON Repeaters — Repeatered High-Frequency Lines
-5 Type N and ON2 Carrier — Deviation Regulator and Adjustable Deviation Equalizer
-6 Type ON/K Carrier — Repeatered High-Frequency Line
-7 ON/Radio System — Radio Multiplex Points
-8 N2 Carrier Telephone System
-9 N3 and N4 Carrier Telephone System — Terminal Equipment

3. INDEX

	Section Number	Issue	Subject
	362-0 INDEX, EQUIPMENT TEST LIST, AND N1 SYSTEM TERMINAL EQUIPMENT		
•	♠ 362-000-000	58	Numerical Index — Division 362 — Type N, O, and ON Carrier Telephone Systems and Associated Equipment Components
	362-001 Equipment Test List		
	362-001-011	12	N1 Carrier
	362-001-012	4	N2 Carrier
	362-001-013	3	N3 Carrier
	362-001-014	3	O, ON, O-H, ON-H Carrier System
	362-001-015	1	N4 Carrier
	362-010) Type N1 Carrier Telephone System — Terminal 362-045) Equipment		
	362-010 General Information — Overall System		
Add	362-010-100	1	
	362-010-100	5	Description — Overall System
	362-010-150	1	Description — Order Wire and Alarm Facilities
	362-010-300	1	Initial Line-Up and Maintenance Tests
Add	362-010-501	1	
	362-010-501	1	Order-Wire and Alarm Facilities — Lineup and Maintenance
	362-011 General Information — Terminal Equipment		
	362-011-105	4	Description — Channel Units, Terminals Mounting, and Shop-Wired Bays
	362-011-110	4	Type N1, N1-H Carrier Telephone System — Description — Transmitting and Receiving Group Units
Add	362-011-300	1	
	362-011-300	3	Initial Line-Up and Maintenance Tests
Add	362-011-500	1	
	362-011-500	3	Maintenance Considerations
	362-015 Preliminary Tests		
	362-015-501	2	Check of Local Cabling, Span Pads, Artificial Lines, Slope Networks and Noise Control Units
	362-015-502	4	N1 and N1-H Repeatered Systems — Adjustment of Power Supply and Sealing Current to Adjacent Repeaters
	362-015-515	4	Transistorized Repeatered Systems — Adjustment of Power Supply and Sealing Current to Adjacent Repeaters
Add	362-015-525	2	
	362-015-525	2	Modification of Channel Units for Improved Transmission
	362-015-526	2	Modification Procedure for N1-H Operation
	362-020 Tests and Adjustments — General		
	362-020-501	3	Heater Supply Voltage Adjustment
Add	362-020-502	1	
	362-020-502	2	Electron Tube Cathode Activity Measurements

NOTICE
Not for use or disclosure outside the
Bell System except under written agreement

Section Number	Issue	Subject
362-020-503	3	Check of Alarm Operation
Add 362-020-510	1	
362-020-510	1	Initial Lineup and Maintenance Tests
362-025 Channel Unit Lineup — Transmitting		
362-025-501	5	Channel Carrier Output, Carrier-Frequency, and Carrier Leak Tests
362-025-502	5	Compressor Tests and Adjustments
362-030 Channel Unit Lineup — Receiving		
362-030-501	3	Measurement of Individual Channel Carrier at the R1 Jacks and Channel Regulator and Demodulator Output Tests and Adjustments
362-035 Group Unit Lineup — Transmitting		
362-035-501	3	3700-Hz Oscillator Output
362-035-502	5	Total Carrier Power Output
362-035-503	2	Measurement of Slope, Bulge, Cubic, and Quartic Distortion
362-040 Group Unit Lineup — Receiving		
362-040-501	2	Total Carrier Power Output
362-040-502	8	Group Receiving Units — Measurements of Slope, Bulge, Cubic, and Quartic Distortion
362-045 Group Switching		
362-045-501	1	Switching Group Units With the 2N Switching Set
362-1 TYPE O AND ON CARRIER TELEPHONE SYSTEMS — TERMINALS AND JUNCTIONS		
362-100 General Information — Overall System		
362-100-100	4	Description — Type 01 Carrier Telephone System
362-100-150	5	Description — Type ON1 and ON2 Carrier Telephone Systems
362-101 General Information — Terminals and Junctions		
362-101-300	3	Initial Lineup, Maintenance Tests, and Periodicity Table
362-101-500	4	Maintenance Considerations
362-105 Preliminary Tests		
Add 362-105-501	1	
362-105-501	3	Preparation and Placement of Terminal Units
Add 362-105-502	1	
362-105-502	2	Preparation and Placement of ON1 Junction
362-105-503	4	Check of Alarm Operation
362-105-504	2	Modification Procedure for O-H and ON-H Operation
362-110 Tests and Adjustments — General		
362-110-501	2	Heater Supply Voltage Adjustment — Terminals
362-110-502	1	Heater Supply Voltage Adjustment — Junctions
362-110-503	3	Terminal and Junction Tube Tests
Add 362-110-510	1	
362-110-510	1	Summary Charts — Lineup, Maintenance, and Troubleshooting
362-115 Channel Unit Lineup — Transmitting		
362-115-501	5	Compressor Output
362-115-502	5	Message Output — Signaling Output and Carrier Leak
362-120 Twin Channel Unit Lineup — Transmitting		
362-120-501	2	Transmitting Carrier Output and Frequency
362-125 Twin Channel Unit Lineup — Receiving		
362-125-501	3	Receiving Regulator Adjustment, Received Carrier Frequency Test, and ON2 Failure Alarm Circuit Adjustment
362-130 Group Unit Lineup — Transmitting		
362-130-501	6	Oscillator Unit — Group and 3700-Hz Oscillators
Add 362-130-502	1	
362-130-502	5	Group Transmitting Carrier Output — Terminals
362-130-503	2	Adjustment of 76-KHz Level Oscillator Output
362-135 Group Unit Lineup — Receiving		
362-135-501	4	Adjustment of Group Receiving Unit — Terminals
362-140 Group Unit Lineup — Transmitting and Receiving Junctions		
362-140-501	4	Adjustment of Transmitting and Receiving Carrier
362-145 Summary Charts — Lineup and Maintenance		
362-145-501	5	O Carrier Terminals — Group and Twin Channel Units
362-145-502	5	ON Carrier Terminals — Group and Twin Channel Units
362-145-503	4	ON1 Junctions — Groups Connected to OA, OB, OC, and OD Carrier
362-2 TYPE O CARRIER TELEPHONE SYSTEM — REPEATERS		
362-200 General Information		
362-200-300	1	Initial Line-Up and Maintenance Tests
362-200-500	1	Maintenance Considerations
362-205 Preliminary Tests		
362-205-501	1	Preparation and Placement of Repeaters

Section Number	Issue	Subject
362-205-502	2	O Repeaters — Modification Procedures for O-H Operation
362-210 Tests and Adjustments — General		
362-210-501	2	Heater Supply Voltage Adjustment and Electron Tube Tests
362-210-502	1	Power Transfer and Alarm Tests — Ventilating Fan Tests
362-210-503	2	Summary Charts — Lineup, Maintenance, and Troubleshooting
362-215 Carrier Lineup		
362-215-501	1	OB, OC, and OD Repeaters
362-215-502	1	OB, OC, and OD Repeaters — Oscillator Frequency Measurement
362-215-505	1	OA Repeater
362-3 TYPE N1, O, AND ON CARRIER TELEPHONE SYSTEMS — OVERALL CHANNEL LINEUP		
362-305 Transmission and Signaling		
362-305-501	5	Expandor Output
362-305-510	7	Channel Noise Measurement
362-305-512	5	Channel Net Gain and Expandor Output Check
362-305-515	6	Signaling Receiver and Overall Pulsing Tests
362-310 Thru Channel Unit		
362-310-501	5	1000-Hz and 3700-Hz Output
362-315 Special Service Channel Unit		
362-315-501	5	Transmitting Section
362-315-502	5	Receiving Section
362-320 Program Channel Units		
Add 362-320-110	1	
362-320-110	1	5-kHz Program Terminal — Description
362-320-501	4	Schedule C and D Program Channels (J98705AT) — Channel Line-Up and Equalization
362-320-504	2	Over-all Channel Line Up — Type N Carrier — Schedule C and D Program Channel Unit Voice Frequency Tests and Adjustments
362-320-505	2	Schedule C and D Program Channel Unit (J98703TA) — Equalizer Adjustment and Overall Transmission Frequency Characteristics
362-320-510	4	Schedule A and B Program Channel Unit (J98703W) — Carrier Output, Adjustment, and Carrier Leak Test.
362-320-511	1	Schedule A and B Program Channel Unit (J98703W) — Channel Net Loss Measurement and Transmission Frequency Tests
362-320-515	1	Program Reversing Channel Unit (J98703Y) — Tests and Adjustments
Add 362-320-516	1	
362-320-516	1	Schedules A and B (5 kHz) — N Carrier Program Terminal (J99333) — Initial Lineup and Maintenance
362-330 Summary Charts — Lineup and Maintenance — N1 Carrier		
362-330-501	4	Message Channel Unit (J98703F) and (J98703FA)
362-330-502	5	Channel Unit Without Signaling (J98703AP)
362-330-503	5	Thru Channel Unit (J98703AH)
362-330-504	5	Special Services Channel Unit (J98703AM)
362-330-505	5	Schedule C and D Program Channel Unit (J98703TA)
362-330-506	5	Schedule A and B Program Channel Unit (J98703W)
362-330-507	3	Amplas Channel Unit Without Signaling (J98703BP)
362-335 Summary Charts — Lineup and Maintenance — O and ON Carrier		
362-335-501	7	Message Channel Unit
362-335-502	5	Channel Unit Without Signaling (J98705AS)
362-335-503	5	Thru Channel Unit (J98705AF)
362-335-504	5	Special Services Channel Unit (J98705AP)
362-335-505	3	Schedule C and D Program Channel (J98705AT)
362-340 Carrier Group Alarm Circuits		
362-340-100	3	Type N2 Carrier System — Carrier Group Alarm Unit and Carrier Group Alarm Signal Receiver Unit — Description
362-340-501	2	J99272AR Signal Receiver — Out-of-Service Tests Using Testing Circuit SD-96519-01
362-345-100	3	Type N2 Carrier System — Carrier Group Alarm and E-Signaling — Connecting Panel for Packaged N2 Terminals — Description
362-345-101	1	Trunk Release and Make-Busy Circuit and E-Type Signaling Connectors (J99285AP) — Description
362-4 N AND ON REPEATERS — REPEATERED HIGH-FREQUENCY LINES		
362-400) Type N1 and ON Carrier Repeaters — Repeatered 362-420) High-Frequency Line		
362-400 General Information		
Add 362-400-100	1	
362-400-100	4	Description — Type N1 and N1-H Repeaters
Add 362-400-120	1	
362-400-120	3	Description — Type N1A Low-High Transistorized Repeater — J98703MB

Section Number	Issue	Subject
362-400-121	3	Description — Type N1A High-Low Transistorized Repeater — J98703LB
362-400-300	2	Initial Lineup and Maintenance Tests
Add 362-400-510	1	
362-400-510	6	Methods of Computing Slope, Bulge, Cubic, and Quartic Distortion
362-400-511	1	Equalizing Slope, Bulge, Cubic, and Quartic Deviations — General
362-401 Noise Measurements		
362-401-501	2	Message and Impulse — at Carrier Frequency
362-405 Preliminary Tests		
362-405-501	5	Check of Local Cabling, Span Pads, Equalizers, and Noise Control Units
Add 362-405-502	1	
362-405-502	4	Adjustment of Power Supply and Sealing Current — Check of Line Current and Fuse Alarm
362-405-503	3	Electron Tube Repeater Supply Points — DC Line Voltage Measurements
362-405-510	1	Modification Procedure for List 1 of J98706 C, D, E, F, CA, DA, EA, FA, J, and K — ON Repeaters
362-405-511	3	Modification Procedure for N1-H and ON-H Operation
362-405-516	2	Transistorized Repeater Points — Check of Voltage Polarity, Current and Sealing Current Provisions
362-410 Repeater Tests		
362-410-501	5	Electron Tube Repeaters — Heater and DC Regulator Measurements
362-410-502	3	Electron Tube Repeaters — Electron Tube Cathode Activity Measurements
362-410-503	3	304-kHz Oscillator Frequency Measurements
362-410-511	4	N1-H and ON-H Maintenance and Troubleshooting Procedures
362-410-515	5	N1A Transistorized Repeaters — DC Power Tests
362-410-516	4	Transistorized Repeaters N1A — Transistor Emitter Current and Thermistor Heater Current Test
362-415 Carrier Lineup — High-Frequency Line Measurements		
362-415-501	7	Total Carrier Power Output J98703 and J98706 Repeaters
Add 362-415-502	1	
362-415-502	9	N1, N1-H ON, and ON-H Repeaters — Measurement of Slope, Bulge, Cubic, and Quartic Distortion — Carrier Leak Test
362-415-503	1	Equalization of Individual Carriers at the Output of the Repeater
362-415-504	1	Deviation Equalizer Loss
362-415-505	2	Adjustable Deviation Equalizer Line-Up
362-415-509	2	Adjustable Deviation Equalizer Line-Up Using N-Line Deviation Test Set
362-415-511	2	Repeatered High-Frequency Line Sectionalizing Procedure for Investigating Frequency Drift
362-415-515	4	N1A Repeaters — Measurement of Slope, Bulge, Cubic, and Quartic Distortion — Carrier Leak Test
362-420 Repeater Switching and Looping		
362-420-501	7	Method of Switching N1, N1-H, ON, and ON-H Repeaters and N2 Repeaters in N2/N1 Adapters With the J94002M Repeater Switching Set
Add 362-420-502	1	
362-420-502	3	Looping of Individual Repeatered Sections
362-420-515	3	Method of Switching N1A Repeaters and N2 Repeaters in N2/N1A Adapters With the J98703BD Repeater Switching Set
362-425 Equivalent 4-Wire N Carrier		
362-425-100	1	Directional Filter and Phase Equalizer Circuit Description
362-425-501	1	Directional Filter and Phase Equalizer Circuit — Installation and Maintenance
362-430 Type 240 Amplifier		
362-430-100	2	240-Type Flat-Gain Amplifiers and Associated Networks — Description
362-430-501	3	Type 240 Amplifier — Installation and Maintenance
362-440 Line Build-Out and Cross-Connecting Equipment		
362-440-100	2	J99323 — Description
362-440-101	1	ED-97031, ED-97032, ED-97033 — Description
362-440-102	1	ED-3C223-30 and ED-3C224-30 — Description
362-440-501	2	Check of Shield and Sheath Continuity and Grounding
362-440-502	1	Check of Fuse Alarms
362-440-503	3	J99323 — Check of Local Cabling, Span Pads, and Equalizers
362-440-504	2	Repeater Power Supply Point — Adjustment of Power Supply and Sealing Current for Line Powering of N1, N1A, and N2 Repeaters With or Without 240-Type Amplifiers
362-440-505	1	ED-97031, ED-97032, ED-97033 — Check of Local Cabling, Span Pads, and Equalizers

	Section Number	Issue	Subject
362-450) 362-475)	**Type N2 Carrier Repeaters — Repeatered High-Frequency Line**		
Add	362-450-100	1	
	362-450-100	2	General Information
	362-450-101	1	Low-High Transistorized Repeater — Description
	362-450-102	1	High-Low Transistorized Repeater — Description
	362-450-103	2	Regulated Power Supply — Constant-Current Regulator Circuit — Description
	362-450-300	1	Initial Line-Up and Maintenance Tests — General Information
	362-450-500	1	Maintenance Considerations
	362-451-100	3	N2 Repeater-to-N1 and N1A Adapters — Description
	362-451-502	2	N2 Repeater-to-N1 and -N1A Adapters — Initial Adjustments
Add	362-455-501	1	
	362-455-501	2	Repeater Power Supply Point — Adjustment of Line Powering Provisions — Check of Fuse Alarms
	362-455-502	3	Preliminary Tests — Repeater Power Provisions — Check of Voltage Polarity
Add	362-460-501	1	
	362-460-501	6	Repeater DC Voltage Measurements and 60-Hz Inductive Interference Tests
Add	362-465-501	1	
	362-465-501	2	Carrier Lineup — High-Frequency Line Measurements — Total Repeater Output Carrier Power
	362-465-503	2	Repeater Tests — 304-kHz Oscillator Frequency Measurements
Add	362-465-504	1	
	362-465-504	5	Check of Span Pad and Measurement of Slope, Bulge, Cubic, and Quartic Distortion
Add	362-465-505	1	
	362-465-505	1	Equalizing Slope, Bulge, Cubic, and Quartic Deviations — General
	362-470-501	3	N2 Repeater Switching With J99321S N2 Repeater Switching Set
	362-470-502	2	Looping of Individual Repeatered Sections
362-5	**TYPE N AND ON2 CARRIER — DEVIATION REGULATOR AND ADJUSTABLE DEVIATION EQUALIZER**		
362-500	**General Information**		
	362-500-500	3	Maintenance Considerations
362-501	**Preliminary Tests**		
	362-501-501	1	Check of Local Cabling, Span Pads and Artificial Line Sections
	362-501-502	1	Check of Plate Supply and Adjustment of Heater Voltages
	362-501-503	1	Check of Fuse Alarm Operation
362-502	**Out-of-Service Line-Up Procedures — Method A or B**		
	362-502-501	2	Check and Adjustment of Individual Carrier Gain
	362-502-502	2	Check of Deviation Regulator Range
362-503	**In-Service Line-Up Procedures**		
	362-503-501	1	Method A and Method B
362-504	**Removing Units From Service**		
	362-504-501	1	Switching a Deviation Regulator
	362-504-502	1	Bypassing a Deviation Regulator
	362-504-503	1	Removing a Control Unit from Service
	362-504-504	1	Bypassing a Faulty Network Thermistor
362-505	**Electron Tube Cathode Activity Tests**		
	362-505-501	2	Amplifier and Control Circuit Units
362-506	**Maintenance Tests and Adjustments**		
	362-506-501	1	Measurement of Total Carrier Power Output
	362-506-502	1	Check of Carrier Output Characteristics
	362-506-503	1	Check of Network Regulating Circuit
	362-506-504	2	Out-of-Service Tests
	362-506-505	1	Check for Defective Shape Network
362-510	**Adjustable Deviation Equalizer**		
	362-510-100	2	Description
	362-510-501	2	Maintenance
362-6	**TYPE ON/K CARRIER — REPEATERED HIGH-FREQUENCY LINE**		
362-600	**General Information**		
	362-600-100	1	General Description
	362-600-500	2	Tests and Adjustments — Maintenance Considerations
	362-600-501	2	Determination of Slope on Carrier Line
362-605	**Preliminary Tests**		
	362-605-501	1	Preparation and Placement of Terminal, Repeater and Junction Equipment
362-610	**Tests and Adjustments — General**		
	362-610-501	2	Heater Voltage Adjustment
	362-610-505	1	Tube Tests
362-615	**Carrier Line-Up**		
	362-615-300	2	Type ON/K Carrier — Repeatered High-Frequency Line — Initial Lineup Tests

Section Number	Issue	Subject
362-615-501	2	Terminals — Repeaters — Junctions
362-615-505	1	Adjustable Deviation Equalizer
362-620 Amplifier Switching		
362-620-501	1	Method of Switching ON/K Amplifier
362-7 ON/RADIO SYSTEM — RADIO MULTIPLEX POINTS		
362-700 Carrier Line-Up — 48 Channel Combining Units		
362-700-501	2	Preparatory Procedures — DC Resistance Measurements
362-700-505	2	Measurement of Individual Carrier and Total Power
362-705 Carrier Lineup — 96 Channel Combining Units		
362-705-100	1	Multiplexing Circuits for Use With Radio Systems — Description
362-705-501	3	DC Tests and Adjustments — Placement of Plug-in Units and Tube Tests
362-705-505	2	Lineup Measurements
362-710-100	2	Combining and Multiplex Circuits for Use With TL Radio
362-8 N2 CARRIER TELEPHONE SYSTEM		
362-800 Overall System		
362-800-010	1	Analysis of N2 Carrier Trouble Reports — Form E-4962
362-800-100	5	Description
362-800-300	1	Initial Line-Up and Maintenance Tests
362-800-505	3	Message and Schedule C and D Program Channels — Channel Net Gain and Frequency Response
Add 362-800-506	1	
362-800-506	3	Channel Noise Measurement and Maintenance Requirements
362-800-508	1	Data Transmission Parameter Requirements
362-800-510	3	Voice-Frequency Amplifier J99272BD, J99272AA, and J99272BA — Through-Channel Connector and Pad Unit J99272CA — Transmitting and Receiving
362-801 Terminal Equipment — General		
362-801-100	6	J99272 Carrier Terminal Equipment — Nonpackaged Bays and Plug-In Units — General Description
362-801-101	2	Packaged N2 Terminal Frames (J99285) — Description
Add 362-801-102	1	
362-801-102	1	J99272( ) Carrier Terminal Equipment for Use With F-Type Signaling — Description
362-801-300	3	Initial Lineup and Maintenance Tests
362-801-500	4	Maintenance Considerations
362-801-501	3	Test Summary Charts
362-802 Power Supply Unit		
362-802-100	3	Power Supply Unit J87216A and J87216C — Description
362-802-501	4	Power Supply Units J87216A and J87216C — Tests and Adjustments
362-802-510	2	Power Supply Units J87216A and J87216C — Switching
362-803 Alarm Unit		
362-803-100	4	J99272BL Alarm Unit — Description
362-803-110	3	Alarm and Restoral Unit for N2 Terminals — Description
362-803-501	3	(J99272L) — Electrical Tests and Adjustments
362-803-502	2	Check of Alarm Operation
Add 362-803-510	2	
362-803-510	2	Packaged Terminal Equipment (J99285) — Check of Alarm Operation
362-803-511	2	J99272AW Alarm and Restoral Unit — Electrical Tests and Adjustments
362-804 Line Terminating Unit		
362-804-100	4	J99272M, BM, and BW — Description
362-804-501	4	J99272M, BM, BW — Check of Local Cabling, Span Pads, and Slope Equalizers
362-804-502	4	(J99272M and J99272BM) — Adjustment of Repeater Power Supply With or Without 240-Type Amplifiers and Sealing Current Over Cable
362-804-503	4	(J99272M and J99272BM) — Check of Line Current
362-804-504	3	J99272BW — Adjustment of Repeater Power Supply
362-805 Group Transmitting and Receiving Units		
362-805-100	2	Description
362-805-501	3	Total Carrier Power Output — Transmitting
362-805-502	6	Group Transmitting Unit — Measurement of Slope, Bulge, Cubic, and Quartic Distortion
362-805-503	4	Total Carrier Power Input and Output — Receiving
362-805-504	6	Group Receiving Unit — Measurement of Slope, Bulge, Cubic, and Quartic Distortion
362-805-505	3	Transistor Emitter Current Test

	Section Number	Issue	Subject
Add	362-805-510	1	
	362-805-510	3	Switching

362-806 Channel Modem Unit

Add	362-806-100	1	
	362-806-100	5	Description
	362-806-501	5	Message and Schedule C and D Program — Transmitting and Receiving Carrier Power Tests
	362-806-502	3	Voice-Frequency Input and Output Tests

362-807 Compandor Unit

Add	362-807-100	1	
	362-807-100	3	Description

362-808 VF Amplifier Unit

	362-808-100	3	Description

362-811 N2WM1 Wideband Modem

	362-811-100	1	N2WM1 Wideband Modem — (10 to 51 KC) — Description
	362-811-501	1	N2WM1 Wideband Modem — (10 to 51 KC) — Initial Line-Up Procedure
	362-811-502	1	N2WM1 Wideband Modem — (10 to 51 KC) — Maintenance Tests
	362-811-510	1	Transmitting and Receiving Wideband Modem Unit Switching

362-812 Wideband Terminals

Add	362-812-000	1	
	362-812-000	1	X114A/X103 Wideband Terminal (0.1 to 40 KC) — Description, Alignment, and Tests
	362-812-100	1	N2WT-1 Wideband Terminal Equipped with N2WM-1 or N2WM-2 Wideband Modem — Description
	362-812-501	1	N2WT-1 Wideband Terminal — N2WM-1 Wideband Modem (10 to 51 kHz) — Initial Line-up Procedure
	362-812-502	2	N2 Carrier Telephone System — N2WT-1 Wideband Terminal — N2WT-1 Wideband Modem (10 to 51 kHz) — Maintenance Tests
	362-812-503	2	N2WT-1 Wideband Terminal — N2WM-2 Wideband Modem (0.1 to 37.5 kHz) — Initial Lineup Procedure
Add	362-812-504	1	
	362-812-504	2	N2WT-1 Wideband Terminal — N2WN-2 Wideband Modem (0.1 to 37.5 kHz) — Maintenance Tests

362-9 N3 AND N4 CARRIER TELEPHONE SYSTEM — TERMINAL EQUIPMENT

362-900) N3 Carrier Telephone System — Overall System
362-915)

	362-900-100	4	Description
	362-900-508	1	Data Transmission Parameter Requirements

362-901 Carrier-Frequency Supply

Add	362-901-100	2	
	362-901-100	3	Description

362-902 Terminal Equipment — General

	362-902-100	4	Description

362-903 Power Supply Unit

	362-903-100	1	Power Supply Unit — Description

362-904 Line Terminating Unit

	362-904-100	3	Line Terminating Units J99300AL and J99300AT — Description

362-905 Group Transmitter and Receiver Units

	362-905-100	1	Description

362-906 Channel Group Modem Unit

	362-906-100	1	Description

362-907 Frequency Correction Unit

	362-907-100	2	Description
	362-907-101	4	(J99300AS) — Description

362-908 Alarm Unit

	362-908-100	3	Alarm and Restoral Unit — J99300AK — Description

362-909 Double-Channel Regulator Unit

	362-909-100	5	J99300AC and J99300CA — Description

362-910 Channel Modem Unit

	362-910-100	2	J99300AB and J99300AY — Description

362-911 Channel Compandor Unit

Add	362-911-100	1	
	362-911-100	1	Description

362-912 VF Amplifier Unit

	362-912-100	3	J99272CA Through-Channel Connector and Pad Unit — Description

362-915 Secondary Carrier Distribution

	362-915-100	1	Description
	362-915-101	1	Plug-In Secondary Carrier Distribution Circuit — Description

362-920) N3-L Junction
362-927)
362-920 Overall System

	362-920-100	3	Description

Section Number	Issue	Subject
362-921		**Overall System (Cont)**
362-921-100	2	Equipment Description
362-922		**Modulators**
Description		
362-922-100	1	J99331AA Type A N3-L
362-922-101	1	J99331AB Type A L-N3
362-922-102	1	J99331BA/BB Type B N3-L/L-N3
Tests		
362-923		**Carrier-Enhancement and Reduction Units**
Description		
362-923-100	2	Carrier-Enhancement Unit — J99331AC
362-923-101	2	J99331AE/AG Carrier Reduction Unit
Tests		
362-924		**J99331AF Carrier Distribution Amplifier**
362-924-100	1	Description
362-925		**J99331BC Low-Level Regulator**
362-925-100	1	Description
362-926		**Alarm Units**
Description		
362-926-100	2	Type A Alarm, Squelch, and Restoral Unit — J99331AD, L2
362-926-101	1	J99331BD Type B Auxiliary Alarm Unit
362-927		**Channel Group 2 Loop Unit**
362-927-100	1	J99331AH — Description
362-930) 362-950)		**N4 Carrier Telephone System**
362-930		**Overall System**
362-930-100	1	Description
362-940		**Terminal Description**
362-940-100	1	Equipment
362-940-101	1	Type N4 Carrier Telephone System — Double Channel Modem Unit — Description
362-940-102	1	Alarm and Restoral Unit — Description
362-940-103	1	Channel Group Modem Unit — Description — Type N4 Carrier Telephone System
362-940-104	1	Type N4 Carrier Telephone System — Power Supply Unit (1024P) — Description
362-940-105	1	Group Receiving Units — Description
362-940-106	1	Group Transmitting Units — Description
362-950		**Carrier Supply**
362-950-100	1	Description
362-971		**Task Oriented Practice (TOP) — Plant**
Add 362-971-000	1	
▲ ♠ 362-971-000	2	N3 Carrier System — N3 Terminal
▲ ♠ 362-971-001	1	N3 Carrier System — N3/L Junctions — Routine, Acceptance, and Circuit Order
▲ ♠ 362-971-002	1	N3 Carrier System — Carrier Frequency Supply
▲ ♠ 362-971-003	1	N3 Carrier System — N3/L Junctions — Trouble Analysis
▲ ♠ 362-972-000	1	N4 Carrier System